

# Notice of Allowability

Application No.

09/921,478

Examiner

Kallambella Vijayakumar

Applicant(s)

MUNSHI, M. ZAFAR AMIN

Art Unit

1751

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Amendment Filed 01/05/2004.
2. ☒ The allowed claim(s) is/are 1-5, 26, 28 and 30.
3. ☒ The drawings filed on 05 January 2004 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All    b) ☐ Some\*    c) ☐ None    of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
  - \* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
  - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413),  
Paper No./Mail Date 01/30/2004.
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

---

**Detailed Action**

---

- **Amendment After Final:** Acknowledge the Amendment to the Claims After Final filed 01/05/2004 along with the arguments by the applicants.
  - **Election/Restriction:** Acknowledge the Election of Group-I, Claims 1-5, 26, 28, and 30 dealing with “an implantable cardiac stimulus electrode” classified in Class 607/121 without traverse, and Cancellation of non-elected Group-II, Claims 37-42 pertaining to “a conductive polymer composition” classified in Class 252/500+ over the telephone by Robert J. Harris on 01/30/2004, with the intent to file a divisional/continuation application (See the attached PTOL-413B).
-

---

**EXAMINER'S AMENDMENT**

---

- An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Robert J. Harris on 01/30/2004.

**The application has been amended as follows:**

In Claim-1, Line-1,           **AFTER**       **'An'**

**INSERT** --implantable cardiac stimulus electrode comprising a coating of an--

In Claim-1, Lines-5-6,       **AFTER**       "100 kHz"

**DELETE** the lines in their entire entity

**CANCEL CLAIMS**           **37-42**

---

### **EXAMINER'S REASONS FOR ALLOWANCE**

---

- The following is an examiner's statement of reasons for allowance: Claims 1-5, 26, 28 and 30 are allowed as amended over the arguments by the applicants filed 01/05/2004 and the prior art of record that neither teaches nor fairly suggestive of "An implantable cardiac stimulus electrode" per the limitations of the instant claims by the applicants.

The closest prior art of record by Munshi (US Patent 6,295,474) teaches implantable electrodes, but this can not be a prior art for the instant application, because of the same inventor and the common assignee for both the cited patent and the instant application. Bolz (US Patent 5,964,794) teaches implantable stimulation electrode and Uy et al (US Patent 5,520,180) teach biomedical electrodes, but does not teach or fairly suggestive of the limitations of the instant claims by the applicants, specifically the limitation of the impedance and the reversible reduction-oxidation in the instant claims by the applicants.


- Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
- Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kallambella Vijayakumar whose telephone number is 571-272-1324. The examiner can normally be reached on M-Th, 07.00 - 16.30 hrs, Alt. Fri: 07.00-15.30 hrs.

Art Unit: 1751

---

- If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dr. Yogendra Gupta can be reached on 571-272-1316. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.
- Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

KMV  
January 30, 2004

  
YOGENDRA N. GUPTA  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 1700